



Chuck Stumpf

Ph: (805) 455-0006 | chuck@hmsjets.com

Kawena Warren

Ph: (805) 895-0441 | kawena@hmsjets.com

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



AIRCRAFT HIGHLIGHTS:

- ❖ **Payload** - Carry Mixed Loads of Crew/Equipment/ Water
- ❖ **13 Passengers/Crew**
- ❖ **Snorkel Water Fill** - From a Variety Of Sources
- ❖ **Rapid Refill** - Refill Tank < 60 seconds
- ❖ **Accurate Water Drop** - Controlled Patterns /Volume
- ❖ **Precision Hover Capability** - w/Embedded GPS/INS
- ❖ **Hot Temp/High Altitude** - Superior Performance
- ❖ **High Dash Speed** - 155 kts (287 km/hr)
- ❖ **High Maneuverability** - Controlled Responsiveness

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091

Aircraft Executive Summary:

Aircraft Manufacturer:	Sikorsky
Aircraft Type:	S- 70M
Current Registration:	N858GE
Serial Number:	704091
Year of Delivery:	2020
Airframe Total Hours:	77.2 Hours
Airframe Total Cycles:	219 Landings
Passenger Configuration:	2 Pilots, 2 Crew, 4 Passengers?

Aircraft Highlights:

- ❖ **Payload** - Carry Mixed Loads of Crew/Equipment/Water
- ❖ **13 Passengers/Crew**
- ❖ **Snorkel Water Fill** - From a Variety Of Sources
- ❖ **Rapid Refill** - Refill Tank < 60 seconds
- ❖ **Accurate Water Drop** - Controlled Patterns /Volume
- ❖ **Precision Hover Capability** - w/Embedded GPS/INS
- ❖ **Hot Temp/High Altitude** - Superior Performance
- ❖ **High Dash Speed** - 155 kts (287 km/hr)
- ❖ **High Maneuverability** - Controlled Responsiveness



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



Specifications:

Airframe:

Total Hours:	77.2 hours
Total Cycles:	219 landings

Engines:

Manufacturer:	General Electric
Model:	T 700-GE-701D
Engine #1 S/N:	GE-E-355129
Engine #1 TSN:	119
Engine #1 CSN:	
Engine #2 S/N:	GE-E-355128
Engine #2 TSN:	117
Engine #2 CSN:	

Maintenance Programs:

TAP

APU:

Manufacturer:	Pratt & Whitney
Model:	
S/N:	PW-P403062
TSN:	44 hours/195 starts



2020 Sikorsky S-70M

Reg #: N858GE SN: 704091

Avionics:

Wireless Communication

- ADS-B
- Gensys IDU-450 Moving Map Systems with Traffic and TAWS
- Mission Planning System
- Becker ICS System
- 4x USB-A ports
- Additional Internal Communication System
- TDFM-9000 & TDFM-136B
- DZMx Flightcell (cell and SATCOM)
- Appaero Vision 1000 Cockpit Camera System

Mission Equipment:

- Extending Landing Gear
- External Electric Rescue Hoist
- Medical Interior
- Cargo Hook
- 1000 gal Water Tank (3,785L) w/Integrated Retractable Snorkel
- Triple Patient Litter System

Additional Equipment:

- Engine Inlet Barrier Filter
- Power Sonic Loudhailer
- High-Powered Search Light
- Electro-Optical/Infrared System
- Environmental Control System
- Flight Following SATCOM
- Rotor Brake
- Manual Blade Fold Kit
- Helicopter Emergency Lighting System

All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



VERSATILITY IS THE NAME OF THE GAME

Adapting to the Emergency at Hand, Day or Night



S-70™ FIREHAWK®


First responders need a platform they can depend on. The FIREHAWK® has proven to be the most effective, multi-mission, fire & rescue helicopter available, offering:

- Wildland Fire Attack and Suppression
- Search and Rescue
- Swift Water Rescue
- Emergency Medical Service
- Utility Transport, including Large Animal Rescue
- Night Operations
- Reliable Performance (in the most challenging conditions)

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091

FIREHAWK
S-70M



Enhanced Digital Cockpit for Reduced Pilot Workload

Unlimited Life Composite Wide Chord Blades for Hot/High Alt Performance

Large, Easy Access Cabin, Reconfigurable in Minutes

Powerful, Reliable T700-GE-701D Engines with Improved Erosion Resistance

Best in Class External Water Tank 1,000 gal (3,785 L), plus 30 gal (114 L) Foam Tank

9000 lb (4,080 kg) Cargo Hook, Airspeed up to 120 kts (222 km/hr)

Integrated Retractable Snorkel

Rugged Airframe with Improved Corrosion Protection for Operation in Austere Conditions

Superior Crashworthiness and Safety

KEY ADVANTAGES

PAYLOAD Carry Mixed Loads of Crew/Equipment/Water

PASSENGERS/CREW Up to 13

SNORKEL WATER FILL From a Variety of Sources

RAPID REFILL Refill Tank < 60 seconds

ACCURATE WATER DROP Controlled Patterns/Volume

PRECISION HOVER CAPABILITY w/ Embedded GPS/INS

HOT TEMP/HIGH ALTITUDE Superior Performance

HIGH DASH SPEED 155 kts (287 km/hr)

HIGH MANEUVERABILITY Controlled Responsiveness

All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091

ONE AIRCRAFT, MANY MISSIONS

Changing Roles on the Go


Drop water, transport crew, search/rescue, airlift patients...Rapidly convert the FIREHAWK helicopter's cabin configuration while in flight, without the need for special tools.

FIRE CREW TRANSPORT*

- Carry up to 13 Fully-Equipped Fire Crew
- Passenger Seats Stowable in Ceiling
- Multiple Tie-Downs to Secure Equipment/Cargo




Interior Cabin Mission Configurations




SEARCH AND RESCUE

- Precision Location GPS/INS Capability
- Enhanced Hover Modes
- Integrated External Electric Rescue Hoist
- Passenger Seats Stowable in Ceiling



MEDEVAC

- 2 Primary Litters
- Passenger Seats Stowable in Ceiling
- Advanced Life Support Capability with Built-in Medical Panel



*Additional seating options available

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091

MANAGING THE MISSION, NOT THE MACHINE

Because the First Flames are the Fight



Skip Robinson photo

FIREHAWK® Capabilities Enhance Mission Profile



Reducing Pilot Workload/ Enhancing Situational Awareness

- 4-Axis Fully Coupled Autopilot
- Digital Glass Cockpit with Flight Management System
- Automated Flight Control System w/ Coupled Flight Director
- Single Pilot Operations
- Active Vibration Control System
- Integrated Vehicle Health Usage Monitoring System



photo courtesy of Rick McClure

Operating in Challenging Environmental Conditions

- Proven GE Engines for Superior Power Margin
- Wide Chord Blade for Additional Lift
- 45 kts (83 km/hr) Tail Rotor Authority
- Incredible Responsiveness and Maneuverability



Operating at Night

- Night Vision Goggle Compatible
- Ground Fill Capability
- Optional FLIR
- Dual Mode Night/IR Searchlight

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



S-70i/M™ SPECIFICATIONS

*FIREHAWK® Specifications are dependent on selected options and can be provided upon request

PERFORMANCE (Estimated)

Standard day sea level, maximum gross weight (GW)	22,000 lb (unless otherwise noted)	
Maximum Speed (Vne)	163 kts	302 km/hr
Maximum Cruise Speed (Vh)	145 kts	268 km/hr
Economy Cruise Speed (99% Vbr)	128 kts	237 km/hr
Maximum Range (no reserve)	268 nm	496 km
Maximum Rate of Climb	2,020 ft/min	10.26 m/sec
Maximum Ceiling	20,000 ft	6,097 m
Service Ceiling	15,000 ft	4,572 m
Hover Ceiling - OGE	6,200 ft	1,890 m
Hover Ceiling - IGE	10,270 ft	3,130 m
OEI Service Ceiling	6,780 ft	2,067 m

FUEL CAPACITY

Baseline Fuel Capacity	360 gal	1,362 L
------------------------	---------	---------

CABIN DIMENSIONS

Utility Configuration	2 Pilots, 2 Cabins Crew Members and 11 Troops	
Cabin Length	12.58 ft	3.84 m
Cabin Width (on floor)	6.00 ft	1.82 m
Cabin Width (at door)	7.00 ft	2.13 m
Cabin Height	4.52 ft	2.95 m
Cabin Area	88.00 sq-ft	8.18 sq-m
Cabin Volume	396.00 cu ft	11.21 cu-m
17 Tie-down Rings		
Cargo floor rated at 300 psf (1,464 kg/m ²)		
Two storage compartments (20.34 cu-ft) over fuel cells		


WEIGHTS

Empty Weight (excludes 11 cabin troop seats, 207 lb)	11,853 lb	5,376 kg
Maximum Take-off Gross Weight	22,000 lb	9,979 kg
Maximum Take-off Gross Weight (external load and with Firefighting water tank installed)	23,500 lb	10,659 kg

POWER PLANTS (Sea Level Standard)

Quantity/Type	Two (2) - T700-GE-701D	
2.5 Minute OEI Contingency	1,972 shp	1,471 kW
10 Minute Takeoff Power	3,910 shp	2,916 kW
30 Minute Intermediate Power	3,738 shp	2,788 kW
MAX Continuous Power	3,356 shp	2,502 kW

DIMENSIONS



This Page Does Not Contain Export Controlled Technical Data

All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M


Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.

2020 Sikorsky S-70M

Reg #: N858GE SN: 704091




2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



2020 Sikorsky S-70M

Reg #: N858GE SN: 704091



All specifications are subject to verification upon inspection and remains the sole responsibility of the purchaser.